


SCANIA

04:01-03

Issue 1 **en**




Checking disc wear

1 585 496

Checking disc wear

Special tools

<i>Number</i>	<i>Designation</i>
99 315	Gauge



In trucks with Servomaster, plate wear must be measured directly on the plate.

The thickness of a new plate is 10 mm, and the wear limit is 7 mm.

Use gauge 99 315 and measure through the prizing hole in the flywheel housing as illustrated.

