



Des	Pos	Description
C1	A 5	Connector, 24-pole
C20	B 5	Connector, 21-pole
C29	C 1	Connector, 21-pole, instr-Roof
C29	B 8	Connector, 21-pole, instr-Roof
C29	F 3	Connector, 21-pole, instr-Roof
C29	C 1	Connector, 21-pole, instr-Roof
C29	D 4	Connector, 21-pole, instr-Roof
C83	C 2	Connector, 1-pole, splice, VIS
C84	C 2	Connector, 1-pole, splice, VIS
C100	A 4	Connector, 86-pole
C102	A 4	Connector, 86-pole
C172	E 5	Splice
C274	E 6	Joint connector, instr light
C274	D 5	Joint connector, instr light
C274	F 1	Joint connector, instr light
C274	F 8	Joint connector, instr light
C274	C 5	Joint connector, instr light
C439	F 7	Splice, instr, VIS
C440	E 7	Splice, instr, VIS
C481	D 4	Joint connector yellow CAN
C483	D 4	Joint connector, instr up
C489	C 2	Connector, 21-pole, BWS
C489	C 1	Connector, 21-pole, BWS
D84	F 7	Splice
D84	F 5	Resistor, 10kOhm
E32	D 4	Control unit, CUV
G1	F 8	Joint connector, ground
G2	B 4	Joint connector, ground
G2	F 2	Joint connector, ground
G4	C 6	Joint connector, ground
G5	D 2	Joint connector, ground
G8	A 4	Joint connector, ground
G13 A	D 4	Ground, torpedo wall
G14 E	A 4	Ground, torpedo wall
G14 D	D 4	Ground, torpedo wall
G49	F 5	Ground, component
L36	A 3	Work light
M2	E 4	Motor, windscreen wiper
P2	F 1	Central electric unit
R6	D 2	Relay, stop light
R24	D 2	Relay, Reverse light
S1	F 8	Switch, lighting
S2	F 8	Switch, hazard warning light
S3	D 2	Switch, rear fog light
S9	D 6	Switch, front fog light
S10	D 1	Switch, distance light
S19	D 2	Switch, worklight, fifth wheel
S23	F 8	Switch, light level control
S24	D 6	Switch, windscreen wiper, washer
S25	D 5	Switch, air int, fallop beam
S26	E 5	Switch, signal horn
S27	D 7	Switch, distance light
S28	D 2	Switch, pressure horn
S51	F 4	Switch, cruise control/display
S58	D 6	Switch, wiper light
S74	F 2	Switch, reverse alarm
S89	F 4	Switch, radio LH
S93	F 3	Switch, radio RH
S139	F 8	Switch, lighting
S140	D 6	Switch, auxiliary light
S141	D 5	Switch, multi function
U8	D 5	Spring coil
V44	A 6	Solenoid valve, air horn

Cable designation
AWD35 - OC - 1

Cable marking
Cable colour (Orange)

Conductor area (mm²)

Code	Colour
BL	Black
BR	Brown
RD	Red
OR	Orange
YE	Yellow
GN	Green
BU	Blue
VI	Violet
GY	Grey
WH	White
PK	Pink

STD 4247

SCANIA

Circuit Diagram:
VIS

Drawing No.: 1428523-1-13
Sheet-Rev:

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden