



Colour code of electric cables		Des.	Pos.	Description
Code	Colour	B87	A 5	Switch, acknowledge PTO EK
BK	Black	B88	A 4	Switch, acknowledge PTO EG single rear
BN	Brown	B94	A 4	Switch, acknowledge PTO EG double rear upper
BN	Brown	B95	A 4	Switch, acknowledge PTO EG double rear common
RD	Red	B96	A 4	Switch, acknowledge PTO EG double rear lower
OG	Orange	B97	A 3	Switch, acknowledge PTO EG single rear high ratio
YE	Yellow	B98	A 5	Switch, acknowledge PTO EG single side
GN	Green	C100	D 4	Connector, 66-pole
BU	Blue	C100	D 8	Connector, 66-pole
VT	Violet	C103	D 5	Connector, 66-pole
GY	Grey	C103	D 7	Connector, 66-pole
WH	White	C260	E 3	Connector, 12-pole, BWS
PK	Pink	C260	E 6	Connector, 12-pole, BWS
C269	B 4	C269	B 4	Splice, GMS
C470	C 5	C470	C 5	Connector, 4-pole
C493	E 4	C493	E 4	Connector, 15-pole, BWS
C493	E 6	C493	E 6	Connector, 15-pole, BWS
E30	E 5	E30	E 5	Control unit, coordinator
G13	C 4	G13	C 4	Ground, torpedo wall
G13	C 5	G13	C 5	Ground, torpedo wall
G13	C 7	G13	C 7	Ground, torpedo wall
G13.R	B 7	G13.R	B 7	Ground, torpedo wall
V13	A 7	V13	A 7	Solenoid valve, PTO EG1
V43	A 8	V43	A 8	Solenoid valve, PTO EK
V133	A 7	V133	A 7	Solenoid valve, PTO EG2



Circuit Diagram:

GMS OPC4

Drawing No.- 1480737-3-4
Sheet-Rev:

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden

PTO