


Code	Colour	Des.	Pos.	Description
BK	Black	B87	A 5	Switch, acknowledge PTO EK
BK	Black	B88	A 4	Switch, acknowledge PTO EG single rear
BN	Brown	B97	A 4	Switch, acknowledge PTO EG single rear high ratio
BN	Brown	B98	A 5	Switch, acknowledge PTO EG single side
RD	Red	C100	D 4	Connector, 66-pole
OG	Orange	C100	D 8	Connector, 66-pole
YE	Yellow	C100	D 8	Connector, 66-pole
GN	Green	C103	D 5	Connector, 66-pole
BU	Blue	C103	D 5	Connector, 66-pole
VT	Violet	C103	D 7	Connector, 66-pole
GY	Grey	C260	E 3	Connector, 12-pole, BWS
WH	White	C260	E 3	Connector, 12-pole, BWS
PK	Pink	C260	E 6	Connector, 12-pole, BWS
		C260	E 6	Connector, 12-pole, BWS
		C470	C 5	Connector, 4-pole
		C493	E 4	Connector, 15-pole, BWS
		C493	E 4	Connector, 15-pole, BWS
		C493	E 6	Connector, 15-pole, BWS
		C493	E 6	Connector, 15-pole, BWS
		E30	E 5	Control unit, coordinator
		G13	C 4	Ground, torpedo wall
		G13	C 5	Ground, torpedo wall
		G13	C 7	Ground, torpedo wall
		G13	C 7	Ground, torpedo wall
		G13.R	B 7	Ground, torpedo wall
		V13	A 7	Solenoid valve, PTO EG1
		V43	A 8	Solenoid valve, PTO EK
		V133	A 7	Solenoid valve, PTO EG2



**SCANIA**

Circuit Diagram:

**GMS OPC4**

Drawing No.-  
Sheet-Rev: **1480737-3-5**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden

STD  
4247

PTO