


Des.	Pos.	Description
B6	C 3	Switch, door, driver
B7	C 3	Switch, door passenger
C9	B 6	Connector, 15-pole
C9	B 5	Connector, 15-pole
C9	B 4	Connector, 15-pole
C9	B 5	Connector, 15-pole
C14	B 4	Connector, 15-pole
C20	B 3	Connector, 21-pole
C24	B 3	Connector, 21-pole
C24	B 6	Connector, 21-pole
C24	B 5	Connector, 21-pole
C48	A 4	Connector, 9-pole, upper roof shelf
C48	A 3	Connector, 9-pole, upper roof shelf
C48	A 4	Connector, 9-pole, upper roof shelf
C94	A 2	Connector, 21-pole
C154	B 3	Splice, INL Roof
C155	B 5	Splice, INL Roof
C166.B	D 4	No Description
C243	A 4	Connector, 2-pole
C243	A 3	Connector, 2-pole
C243	A 4	Connector, 2-pole
C273	A 2	Connector, 21-pole
C275	D 5	Joint connector, instr light
C304	B 2	Connector, 21-pole
E23	C 4	Control unit, general lighting exclusive
F15	E 4	Fuse holder, 4-pole
G1	D 3	Joint connector, ground
G4	C 4	Joint connector, ground
G5	D 3	Joint connector, ground
G10	B 4	Ground, roof
L54	A 6	Headlining lamp, driver
L55	A 5	Headlining lamp, passenger
L58	A 4	Bed lamp, upper
L133	C 3	Lamp, illumination under dashboard
P2	E 4	Central electric unit
S34	D 5	Switch, reading light, driver
S143	D 5	Switch, general light exclusive instr p
S149	C 3	Switch, illumination under dashboard



Colour code of electric cables

Code	Colour
BK	Black
BN	Brown
RD	Red
OG	Orange
YE	Yellow
GN	Green
BU	Blue
VT	Violet
GY	Grey
WH	White
PK	Pink

SCANIA

Circuit Diagram:

INL

Drawing No.-
Sheet-Rev: **1505824-2-13**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden

STD
4247