


Des.	Pos.	Description
C600	4 E	Connector 21 Pole Instrument Panel
C650	7 C	Connector 21 Pole Front Axle
C660	6 C	Connector 21 Pole Driven Axle
C670	5 C	Connector 21 Pole Tag Axle
C690	7 C	Connector 21 Pole BCS Output
E19	4 D	Control unit, SMS
E510	4 F	Control unit, Tilt Switch
P2	7 F	Central electric unit
T70	5 B	Sensor, pressure, rear left
T72	7 B	Sensor, distance, front
T73	6 B	Sensor, distance, rear left
T97	5 B	Sensor, distance, rear right
T98	5 B	Sensor, pressure, rear right
T99	6 B	Sensor, pressure, front axle
V523	7 B	Solenoid Valve, Front Axle up/down
V524	6 B	Solenoid Valve, Driven Axle
V525	4 B	Solenoid Valve, Tag Axle up/down
V526	7 B	Solenoid Valve, Front Axle Kneeling



Code	Colour
BK	Black
BN	Brown
RD	Red
OG	Orange
YE	Yellow
GR	Green
BU	Blue
VT	Violet
GY	Grey
WH	White
PK	Pink

SCANIA

Circuit Diagram:

SMS ELC

Drawing No.- 1790750-1-2
Sheet-Rev:

Valid for 4X2 and 6X2*4 without loadtransfer

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden