


| Des. | Pos. | Description |
|------|------|----------------------------|
| C38 | C 2 | Connector, 6-pole |
| C100 | A 3 | Connector, 66-pole |
| C272 | B 3 | Connector, 21-pole |
| C273 | B 3 | Connector, 21-pole |
| C447 | A 2 | Connector, 6-pole, SMS/BWS |
| C481 | A 4 | Joint connector yellow CAN |
| E30 | A 2 | Control unit, coordinator |
| G9 | B 4 | Joint connector, ground |
| O4 | C 2 | Tachograph |
| P2 | A 4 | Central electric unit |
| T20 | A 3 | Sensor, tachograph |



| Colour code of electric cables | |
|--------------------------------|--------|
| Code | Colour |
| BK | Black |
| BN | Brown |
| RD | Red |
| OG | Orange |
| YE | Yellow |
| GN | Green |
| BU | Blue |
| VT | Violet |
| GY | Grey |
| WH | White |
| PK | Pink |

- Notes:
1. With Battery master switch
 2. Without Battery master switch
 3. LAS with Battery master switch
 4. Analog Tachograph
 5. Digital Tachograph
 6. with COO6
 7. with COO7

Notes:
Roof and Roof Shelf harness valid only for Roof height Low, Normal and High (Topline).

S-order equipment connected:
Cable h TCO 8x8 Frame

STD 4247

SCANIA

Circuit Diagram: TCO

Drawing No.- 1852759-1-4
Sheet-Rev:

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden