



Code	Colour
BK	Black
BN	Brown
RD	Red
OG	Orange
YE	Yellow
GN	Green
BU	Blue
VT	Violet
GY	Grey
WH	White
PK	Pink

Des.	Pos.	Description
C4	B7	Connector, 12-pole
C6	B8	Connector, 12-pole
C7	E7	Connector, 7-pole
C10	C8	Connector, 12-pole
C13	B4	Connector, 12-pole
C103	F7	Connector, 66-pole
C374	C3	Connector, 2-pole
E44	F6	Control unit, EMS
E67	D3	Control unit, EEC
E67	C3	Control unit, EEC
E67	E1	Control unit, EEC
E67	D3	Control unit, EEC
G13.T	F5	Ground, torpedo wall
G13.T	F7	Ground, torpedo wall
H25	C5	Heater, Hose heater
H26	C4	Heater, Hose heater
H27	C5	Heater, Hose heater
T115	B6	Sensor, nox - Downstream
T116	C3	Sensor unit, temperature/level
T131	B7	Sensor, nox - Upstream
T141	B7	Sensor, pressure
T158	B6	Sensor, temp
V117	B8	Dosing unit
V118	C3	Water valve, EEC
V118	C3	Water valve, EEC
V183	C4	Pump unit

1. Alternative MCC for ADR harnesses  
 2.1 Valid for SCR tank position LS  
 2.2 Valid for SCR tank position RS

Euro6i DL6  
 double front axle

**SCANIA**

Circuit Diagram:

## EEC

Drawing No.-  
Sheet-Rev: **1926090-2-4**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden