



Colour code of electric cables		Des.	Pos.	Description
C4	Black	B7		Connector, 12-pole
C6	Black	B8		Connector, 12-pole
C69	Brown	F5		Connector, 21-pole, instr p/front
BN	Brown	C103	E7	Connector, 66-pole
RD	Red	C275	E5	Joint connector, instr light
OG	Orange	C309	E3	Connector, 12-pole
YE	Yellow	E30.C	F5	Control unit, coordinator
GN	Green	E44	E6	Control unit, EMS
BU	Blue	E67	B5	Control unit, EEC
VT	Violet	E67	D8	Control unit, EEC
GY	Grey	G2	E4	Joint connector, ground
WH	White	G13.T	E8	Ground, torpedo wall
PK	Pink	G13.T	E7	Ground, torpedo wall
		P2	F7	Central electric unit
		S178	F5	Switch, Regen, part. filter
		T115	A6	Sensor, nox - Downstream
		T131	A6	Sensor, nox - Upstream
		T141	A7	Sensor, pressure
		T158	A5	Sensor, temp
		V117	A7	Dosing unit
		V118	C5	Water valve, EEC
		V184	F3	Shut-off unit, fuel and air
		V185	F4	Injector valve

SCANIA

Circuit Diagram:

EEC

Drawing No.-
Sheet-Rev: **1926090-3-1**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden

1. Alternative MCC for ADR harnesses
Euro6 Inline engines
Frame mounted Control Unit