


Des.	Pos.	Description
C42	G 6	Connector, 3-pole
C539	B 4	Connector, 12-pole
C833	D 7	Connector, 15-pole, EEC
C739	B 7	Connector, 31-pole, EEC
E44	A 4	Control unit, EMS
E67	B 3	Control unit, EEC
F554	E 6	Fuse holder, 4-pole, GMS/ECA
G504	F 6	Joint Connector, 21 pole, Grounding Electric panel
H25	C 4	Heater, Hose heater
H26	C 4	Heater, Hose heater
H27	C 4	Heater, Hose heater
P2	F 6	Central electric unit
R662	D 7	Relay, Hose Heater, Tank
R663	D 6	Relay, Hose Heater, Pump
T115	A 5	Sensor, nox - Downstream
T116	C 5	Sensor unit, temperature level
T131	A 6	Sensor, nox - Upstream
T141	A 6	Sensor, pressure
T158	A 7	Sensor, temp
V117	A 7	Dosing unit
V118	A 8	Water valve, EEC
V183	C 5	Pump unit
V184	A 3	Shut-off unit, fuel and air
V185	A 4	Injector valve

Cable designation		Color code of electric cables
AWD35	OG - 1	Code
		Color
		BN
		BR
		RD
		OG
		YE
		GN
		BU
		VT
		GY
		WH
		PK



Only valid on 5 cylinder engines with EGR (250/280 hp)



Circuit Diagram:

EEC3

Drawing No.- 1926513-1-19
Sheet-Rev:

*1 Valid on N
*2 Valid on K

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden