



Code	Colour
BK	Black
BN	Brown
RD	Red
OG	Orange
YE	Yellow
GN	Green
BU	Blue
VT	Violet
GY	Grey
WH	White
PK	Pink

Des.	Pos.	Description
C3	B 5	Connector, 21-pole
C9	E 4	Connector, 15-pole
C12	B 3	Connector, 21-pole
C14	E 5	Connector, 18-pole
C218	B 3	Connector, 21-pole
C272	C 6	Connector, 21-pole
C273	B 6	Connector, 21-pole
C274-2	F 6	Splice, instrument light
C8016	B 5	Connector, 21-pole
C8025	D 3	Splice, INL, Instrument panel
E106	F 5	Control unit, DCS, driver
G4-3	F 6	Splice, ground
G64-2	C 7	Splice, ground
G65-2	C 5	Splice, ground
L54	A 6	Lamp, headlining, driver
L55	A 8	Lamp, headlining, passenger
P2.BX43	F 3	Fuse socket, central electric unit
R39	E 3	Relay, interior lighting basic
S34	E 7	Switch, reading light, driver
S57	E 6	Switch, general lighting, basic
S195	E 7	Switch, reading light, passenger

Notes:
 1. With DCS
 2. Without DCS

INL Basic

SCANIA

Circuit Diagram:
INL

Drawing No.-
 Sheet-Rev: **2125404-1-12**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden