



Des.	Pos.	Description
B78	D 8	Switch, switch box
C2 A	A 3	Connector, 2-pole
C2 B	A 3	Connector, 2-pole
C2 C	A 3	Connector, 2-pole
C2 D	A 2	Connector, 2-pole
C227	A 5	Connector, 16-pole
C318	C 7	Connector, 4-pole
C438	A 7	Connector, 12-pole
C443	A 5	Connector, 21-pole
C641	D 5	Connector, 9 pole HEV
C712	D 3	Connector, 5 pole HEV +24V
C713	D 2	Connector, 2 pole HEV Ground
C773	C 6	Joint connector GMS SUB-CAN
C798	B 6	Connector, 3 pole HEV
C904	D 5	Connector, 18 pole HEV
E5	D 6	Control unit, Cytosense
E81	B 5	Control unit, BMU
E82	B 7	Control unit, MGU
F563	E 4	Fuse holder 4 pole HEV
F564	C 3	Fuse holder 4 pole HEV
G502 C	D 2	Grounding Hybrid system on Front Axle
G642	D 2	Ground, 1-pole
G643	D 2	Ground, 1-pole
M33	A 8	Motor, propulsion
P2	F 4	Central electric unit
R500	E 3	Relay, Battery master switch
S229	D 4	Switch, Safety switch Hybrid system



Color code of electric cables	Color
OC	Orange
BK	Black
BN	Brown
RD	Red
OR	Orange
GN	Green
BL	Blue
VI	Violet
GY	Grey
WH	White
PK	Pink



See circuit diagram 2198982

See circuit diagram 2098187



Circuit Diagram: **HEV**

Drawing No.- **2164280-1-2**
 Sheet-Rev:

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden