



Des	Pos	Description
C531	C 8	No Description
C532	C 6	Connector, 2-pole
C533	C 6	Connector, 2-pole
C534	C 6	Connector, 4-pole
C538	F 5	RES CAN
C542	C 4	Connector, 21-pole
E140	C 5	Control unit, auxiliary cooler
C527	E 3	Ground
M509	E 5	Coolant pump, RES
H32	E 3	Heater, RES
M510	E 7	Cooling fan
M511	E 8	Motor fan
P8	B 6	Central electric unit, chassis
T210	D 8	Sensor, temperature, battery coolant outlet
T211	D 4	Sensor, pressure, refrigerant
T509	D 7	Sensor, temperature, battery coolant inlet
T509	D 4	Sensor, Coolant level RES
V194	D 7	Solenoid valve, water valve control



Code	Colour
BK	Black
BN	Blue
RD	Red
OC	Orange
YE	Yellow
GN	Green
BU	Blue
VT	Violet
GY	Grey
WH	White
PK	Pink



See sheet 4

Only valid for BEV NBC S-oder

Circuit Diagram:	
RES BEV	
Drawing No.- Sheet-Rev:	2588162-7-1
N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden	