



Des.	Pos.	Description
C668	B 4	Connector, AX3 Body interface
C6600	D 6	Connector, 12 pole door front-roof channel right
C6025	D 4	Connector, 12 pole door middle-roof channel right
C6045	D 5	Connector, 9-pole MBS Main node
C6050	D 3	Connector, 12 pole door rear-roof channel right
C5100	B 6	Connector, 25-pole Electric panel: Roof Channel Right
C5101	D 6	Connector, 25-pole Electric panel: Roof Channel Right
D6115	B 6	Splice, 1 pole Brown CAN Shield
C6121	B 6	Connector, 25-pole Electric panel: Roof Channel Left
C5122	B 6	Connector, 15-pole Electric panel: Roof Channel Left
C6140	B 6	Connector, 25-pole Electric panel: Instrument Panel
C6442	B 7	Connector, 6-Pole
C6554	B 4	Splice, 1-pole
C6586	C 3	Connector, 12-Pole
C6557	B 4	Splice, 1-pole
E6042	A 6	Control unit, MBS
E6050	D 4	Control unit, Expansion unit M, MBS
E6055	A 7	Control Unit, Climat Control Panel
E6103	C 6	Control unit, Electric heater coolant front
E6104	B 3	Control unit, Electric heater coolant rear
F6002	E 6	Fuse holder, 4-pole
G6305	C 4	Ground, 1-pole MBM
G6401	C 8	Ground, 1-pole
P544.AX251	F 6	Fuse, Maxi (30)



Colour code of plastic cable	Code	Colour
BK	Black	Black
BN	Brown	Brown
RD	Red	Red
OG	Orange	Orange
YE	Yellow	Yellow
GN	Green	Green
BL	Blue	Blue
VI	Violet	Violet
GY	Grey	Grey
WH	White	White
PK	Pink	Pink



Circuit Diagram: **MBS Main Node**

Drawing No.- Sheet-Rev: **2710707-3-7**

N.B. The copyright and ownership of this drawing including associated computer data are and will remain ours. They must not be copied, used or brought to the attention of any third party without prior permission (C) Scania, Sweden